CREB1 Rabbit pAb

Catalog No.: A1189 5 Publications



Basic Information

Observed MW

45kDa

Calculated MW

35kDa

Category

Primary antibody

Applications

ELISA,WB,IP

Cross-Reactivity

Human, Mouse, Rat

Background

This gene encodes a transcription factor that is a member of the leucine zipper family of DNA binding proteins. This protein binds as a homodimer to the cAMP-responsive element, an octameric palindrome. The protein is phosphorylated by several protein kinases, and induces transcription of genes in response to hormonal stimulation of the cAMP pathway. Alternate splicing of this gene results in several transcript variants encoding different isoforms.

Recommended Dilutions

WB 1:500 - 1:2000

IP 0.5μg-4μg antibody for 200μg-400μg extracts of whole cells

Immunogen Information

Gene IDSwiss Prot
1385
P16220

Immunogen

Recombinant fusion protein containing a sequence corresponding to amino acids 1-120 of human CREB1 (NP_604391.1).

Synonyms

CREB; CREB-1; CREB1

Contact

<u>a</u>		400-999-6126
\bowtie		cn.market@abclonal.com.cn
\overline{a}	ī	www.ahclonal.com.cn


Product Information

SourceIsotypePurificationRabbitIgGAffinity purification


Storage

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.



Immunoprecipitation analysis of 200 μg extracts of 293T cells using 1 μg CREB1 antibody (A1189). Western blot was performed from the immunoprecipitate using CREB1 antibody (A1189) at a dilution of 1:1000.



Western blot analysis of various lysates using CREB1 Rabbit pAb (A1189) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution. Lysates/proteins: 25µg per lane.

Blocking buffer: 3% nonfat dry milk in TBST.