Leader in Biomolecular Solutions for Life Science



GCLM Rabbit pAb

Catalog No.: A13989 3 Publications

Glutamate-cysteine ligase, also known as gamma-glutamylcysteine synthetase, is the first rate limiting enzyme of glutathione synthesis. The enzyme consists of two subunits, a heavy catalytic subunit and a light regulatory subunit. Gamma glutamylcysteine synthetase deficiency has been implicated in some forms of hemolytic anemia. Alternative splicing results in multiple transcript variants encoding different isoforms.

Basic Information

Observed MW 31kDa

Calculated MW 31kDa

Category Primary antibody

Applications ELISA,WB

Cross-Reactivity Human, Mouse

Recommended Dilutions

1:500 - 1:2000

Immunogen Information

WB

Gene ID 2730

Swiss Prot P48507

Immunogen

Background

Recombinant fusion protein containing a sequence corresponding to amino acids 1-274 of human GCLM (NP_002052.1).

Synonyms GLCLR; GCLM

Contact

6 400-999-6126 cn.market@abclonal.com.cn \sim Ð www.abclonal.com.cn

Product Information


Source Rabbit

Isotype lgG

Purification Affinity purification

Storage

Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.



Western blot analysis of extracts of various cell lines, using GCLM antibody (A13989) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution. Lysates/proteins: 25µg per lane.

Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit (RM00020).