# eNOS Rabbit pAb

Catalog No.: A1548 20 Publications



### **Basic Information**

#### **Observed MW**

140kDa

### **Calculated MW**

133kDa

### Category

Primary antibody

### **Applications**

ELISA,WB,IF/ICC

#### **Cross-Reactivity**

Human, Mouse, Rat

# **Background**

Nitric oxide is a reactive free radical which acts as a biologic mediator in several processes, including neurotransmission and antimicrobial and antitumoral activities. Nitric oxide is synthesized from L-arginine by nitric oxide synthases. Variations in this gene are associated with susceptibility to coronary spasm. Alternative splicing and the use of alternative promoters results in multiple transcript variants.

# **Recommended Dilutions**

**WB** 1:500 - 1:1000

**IF/ICC** 1:50 - 1:200

# **Immunogen Information**

**Gene ID**4846

Swiss Prot
P29474

#### **Immunogen**

Recombinant fusion protein containing a sequence corresponding to amino acids 1000-1203 of human eNOS (NP\_000594.2).

# **Synonyms**

eNOS; ECNOS

### **Contact**

<u>a</u>	400-999-6126
$\bowtie$	cn.market@abclonal.com.cn
$\overline{\Box}$	www.ahclonal.com.cn


### **Product Information**

SourceIsotypePurificationRabbitIgGAffinity purification

### **Storage**

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.05% proclin300,50% glycerol,pH7.3.




Western blot analysis of extracts of various cell lines, using eNOS antibody (A1548) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.

Lysates/proteins: 25µg per lane.

Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time: 10s.



Immunofluorescence analysis of human placenta cells using eNOS Rabbit pAb (A1548) at dilution of 1:50 (40x lens). Blue: DAPI for nuclear staining.