Leader in Biomolecular Solutions for Life Science



Catalog No.: A17912 Recombinant 2 Publications



Basic Information

Observed MW 160kDa

Calculated MW 312kDa

Category Primary antibody

Applications ELISA,WB,IP

Cross-Reactivity Human, Mouse, Rat

CloneNo number ARC0346

Background

This gene encodes a tumor suppressor protein that acts as an antagonist of the Wnt signaling pathway. It is also involved in other processes including cell migration and adhesion, transcriptional activation, and apoptosis. Defects in this gene cause familial adenomatous polyposis (FAP), an autosomal dominant pre-malignant disease that usually progresses to malignancy. Mutations in the APC gene have been found to occur in most colorectal cancers, where disease-associated mutations tend to be clustered in a small region designated the mutation cluster region (MCR) and result in a truncated protein product.

Recommended Dilutions

WB	1:500 - 1:2000
IP	0.5µg-4µg antibody for 400µg-600µg extracts of whole cells

Immunogen Information

Gene ID 324

Swiss Prot P25054

Immunogen

A synthetic peptide corresponding to a sequence within amino acids 1-100 of human APC (NP_000029.2).

Synonyms

GS; DP2; DP3; BTPS2; DESMD; DP2.5; PPP1R46; APC

Contact

6	400-999-6126
\mathbf{X}	cn.market@abclonal.com.cn
€	www.abclonal.com.cn

Product Information

Source Rabbit

Isotype lgG

Purification Affinity purification

Storage

Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 0.05% BSA, 50% glycerol, pH7.3.

