# SUV39H1 Rabbit pAb

Catalog No.: A3277 2 Publications



## **Basic Information**

#### **Observed MW**

48kDa

### **Calculated MW**

48kDa

### Category

Primary antibody

### **Applications**

ELISA,WB,IHC-P

### **Cross-Reactivity**

Human, Mouse, Rat

## **Background**

This gene encodes an evolutionarily-conserved protein containing an N-terminal chromodomain and a C-terminal SET domain. The encoded protein is a histone methyltransferase that trimethylates lysine 9 of histone H3, which results in transcriptional gene silencing. Loss of function of this gene disrupts heterochromatin formation and may cause chromosome instability. Alternative splicing results in multiple transcript variants.

## **Recommended Dilutions**

**WB** 1:500 - 1:1000

**IHC-P** 1:50 - 1:200

## **Immunogen Information**

**Gene ID Swiss Prot** 6839 043463

### **Immunogen**

Recombinant fusion protein containing a sequence corresponding to amino acids 1-220 of human SUV39H1 (NP\_003164.1).

### **Synonyms**

MG44; KMT1A; SUV39H; H3-K9-HMTase 1; SUV39H1

## **Contact**

<u>a</u>	400-999-6126
$\bowtie$	cn.market@abclonal.com.cn
$\overline{\Box}$	www.ahclonal.com.cn


## **Product Information**

SourceIsotypePurificationRabbitIgGAffinity purification

### **Storage**

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.01% thimerosal,50% glycerol,pH7.3.



Western blot analysis of extracts of various cell lines, using SUV39H1 antibody (A3277) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG(H+L) (AS014) at 1:10000 dilution.

Lysates/proteins: 25µg per lane.

Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time: 30s.