# Ų

## www.abclonal.com

ABclonal

## Cardiac Troponin I (TNNI3) Rabbit pAb

Catalog No.: A6995 2 Publications

## **Basic Information**

### **Observed MW**

26kDa

#### **Calculated MW**

24kDa

### Category

Primary antibody

## **Applications**

ELISA, WB, IF/ICC

#### **Cross-Reactivity**

Human, Mouse, Rat

## **Background**

Troponin I (TnI), along with troponin T (TnT) and troponin C (TnC), is one of 3 subunits that form the troponin complex of the thin filaments of striated muscle. TnI is the inhibitory subunit; blocking actin-myosin interactions and thereby mediating striated muscle relaxation. The TnI subfamily contains three genes: TnI-skeletal-fast-twitch, TnI-skeletal-slow-twitch, and TnI-cardiac. This gene encodes the TnI-cardiac protein and is exclusively expressed in cardiac muscle tissues. Mutations in this gene cause familial hypertrophic cardiomyopathy type 7 (CMH7) and familial restrictive cardiomyopathy (RCM). Troponin I is useful in making a diagnosis of heart failure, and of ischemic heart disease. An elevated level of troponin is also now used as indicator of acute myocardial injury in patients hospitalized with moderate/severe Coronavirus Disease 2019 (COVID-19). Such elevation has also been associated with higher risk of mortality in cardiovascular disease patients hospitalized due to COVID-19.

## **Recommended Dilutions**

**WB** 1:500 - 1:2000

**IF/ICC** 1:50 - 1:200

## **Immunogen Information**

**Gene ID**7137

Swiss Prot
P19429

#### **Immunogen**

Recombinant fusion protein containing a sequence corresponding to amino acids 1-100 of human Cardiac Troponin I (TNNI3) (NP\_000354.4).

## **Synonyms**

CMH7; RCM1; cTnI; CMD2A; TNNC1; CMD1FF; Cardiac Troponin I (TNNI3)

## **Contact**

<u>a</u>		400-999-6126
$\bowtie$		cn.market@abclonal.com.cn
•	T	www.abclonal.com.cn


## **Product Information**

SourceIsotypePurificationRabbitIgGAffinity purification

#### Storage

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.



Western blot analysis of extracts of various cell lines, using Cardiac Troponin I (TNNI3) antibody (A6995) at 1:1000 dilution.


Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.

Lysates/proteins: 25µg per lane.

Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time: 5s.



Immunofluorescence analysis of mouse heart cells using Cardiac Troponin I (TNNI3) antibody (A6995) at dilution of 1:100. Blue: DAPI for nuclear staining.