

Phospho-IRAK4-Ser346 Rabbit mAb

Catalog No.: AP1457 **Recombinant**

Basic Information

Observed MW

57kDa

Calculated MW

52kDa

Category

Primary antibody

Applications

ELISA, WB

Cross-Reactivity

Human

CloneNo number

ARC64221

Background

This gene encodes a kinase that activates NF-kappaB in both the Toll-like receptor (TLR) and T-cell receptor (TCR) signaling pathways. The protein is essential for most innate immune responses. Mutations in this gene result in IRAK4 deficiency and recurrent invasive pneumococcal disease. Multiple transcript variants encoding different isoforms have been found for this gene.

Recommended Dilutions

WB 1:500 - 1:1000

Immunogen Information

Gene ID

51135

Swiss Prot

Q9NWZ3

Immunogen

A synthetic phosphorylated peptide around Ser346 of human IRAK4 (NP_057207.2).

Synonyms

IPD1; IMD67; REN64; IRAK-4; NY-REN-64

Contact

☎ | 400-999-6126

✉ | cn.market@abclonal.com.cn

🌐 | www.abclonal.com.cn

Product Information

Source

Rabbit

Isotype

IgG

Purification


Affinity purification

Storage

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.05% proclin300, 0.05% BSA, 50% glycerol, pH7.3.

Validation Data



Western blot analysis of lysates from Karpas 299 cells using Phospho-IRAK4-Ser346 Rabbit mAb (AP1457) at 1:1000 dilution. Karpas 299 cells were treated by IL-1 β (200 ng/ml) at 37°C for 15 minutes after serum starvation overnight.

Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.

Lysates/proteins: 25 μ g per lane.

Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time: 75s.