

# HIF1AN Knockout 293T Cell Lysate, Homozygous

Catalog No.: RM02256

#### **Basic Information**

#### Catalog No.

RM02256

#### Category

Cell Lysate

#### **Parental Cell line**

293T

#### Genotype

Knockout

# Gene Information

## Gene Symbol

HIF1AN

#### **Species**

Human

#### **Gene ID**

55662

#### **Swiss Prot**

Q9NWT6

#### **Synonyms**

FIH1

## Contact

6	400-999-6126
$\bowtie$	cn.market@abclonal.com.cn
$\odot$	www.abclonal.com.cn

## **Background**

#### **Product Information**

#### **Description**

HIF1AN Knockout 293T Cell Line is engineered from 293T cell line with Gene-Editing technology.

Allele-1:53bp deletion in exon1

Allele-2:53bp deletion in exon1

Mammalian cells such as human, rat and mouse cells are normally diploid with two alleles. Homozygote: both alleles were knocked out, mRNA has no signal, no expression of proteins. Heterozygote: only one allele was knocked out, the mRNA transcript levels was decreased compared to wild type, and the protein expression levels was also lower than that of the wild type.

#### **Packaging**

1 vial parental cell Lysate and 1 vial knockout cell Lysate

#### Shipping Conditions

**Amount** 

4°C

50μL, 2μg/μL.

#### Storage

Lysate is stable for 12 months when stored at -20  $^{\circ}$ C. Minimizing freeze-thaw cycles.

#### **Protocol**

To be used as WB control. Lysate is supplied in  $1\times$  SDS sample buffer (2% SDS, 60 mM Tris-HCl pH 6.8, 10% Glycerol, 0.02% Bromophenol blue, 60 mM beta-mercaptoethanol). Lysate should be boiled for 3 - 5 minutes before loading onto gel.

## Sequencing data

WT GGATGAATCCCAGT\*\*\*\*\*\*\*\*\*\*\*\*\*CCCCGGGCAGAGGA
Mut GGATGAATCCCAGT\*\*\*Deletion\*\*\*CCCCGGGCAGAGGA
Allele-1: 53bp deletion in exon1

WT GGATGAATCCCAGT\*\*\*\*\*\*\*\*\*\*\*\*CCCCGGGCAGAGGA
Mut GGATGAATCCCAGT\*\*\*Deletion\*\*\*CCCCGGGCAGAGGA

Allele-2: 53bp deletion in exon1

Genome sequence analysis of PCR products from parental (WT) and HIF1AN knockout (KO) 293T cells, using sanger sequencing.