

Active Recombinant Human Catenin beta-1 Protein

Catalog No.: RP01241 Recombinant 1 Publications

Sequence Information

Species Gene ID Swiss Prot Human 1499 P35222-1

Tags

C-His

Synonyms

CTNNB; MRD19;

armadillo;CTNNB1;MRD19;armadillo;beta Catenin; CTNNB; catenin beta-1

Product Information

Source Purification *E. coli* > 90% by SDS-PAGE.

Endotoxin

< 1.0 EU/ μ g of the protein by LAL method.

Formulation

Lyophilized from a 0.22 µm filtered solution of 50mM Tris,150mM NaCl, pH 8.0Contact us for customized product form or formulation.

Reconstitution

Centrifuge the vial before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid votex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stablizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

Contact

| <u>a</u> | 400-999-6126 |
|-----------|---------------------------|
| \bowtie | cn.market@abclonal.com.cn |
| • | www.abclonal.com.cn |

Background

Basic Information

Description

Active Recombinant Human Catenin beta-1 Protein is produced by $E.\ coli$ expression system. The target protein is expressed with sequence (Met1-Leu781) of human Beta-catenin (Accession #XP_016861227.1) fused with a 6×His tag at the C-terminus.

Bio-Activity


Measured by its binding ability in a functional ELISA. Immobilized Human CD31 at 1 μ g/mL (100 μ L/well) can bind Human CTNNB1 with a linear range of 0.3-4.9 μ g/ml.

Storage


Store the lyophilized protein at -20 $^{\circ}$ C to -80 $^{\circ}$ C for long term. After reconstitution, the protein solution is stable at -20 $^{\circ}$ C for 3 months, at 2-8 $^{\circ}$ C for up to 1 week.

Avoid repeated freeze/thaw cycles.

Validation Data



Active Recombinant Human Catenin beta-1 Protein was determined by SDS-PAGE with Coomassie Blue, showing a band at 100-110 kDa.



Immobilized Human CD31 at 1 μ g/mL (100 μ L/well) can bind Human CTNNB1 with a linear range of 0.3-4.9 μ g/mL.