Ubiquitin Rabbit mAb

Catalog No.: A11227 Recombinant



Basic Information

Observed MW

Calculated MW 26kDa

Category Primary antibody

Applications ELISA,WB,IHC-P,IF/ICC

Cross-Reactivity Human, Mouse, Rat

Background

This gene encodes ubiquitin, one of the most conserved proteins known. Ubiquitin has a major role in targeting cellular proteins for degradation by the 26S proteosome. It is also involved in the maintenance of chromatin structure, the regulation of gene expression, and the stress response. Ubiquitin is synthesized as a precursor protein consisting of either polyubiquitin chains or a single ubiquitin moiety fused to an unrelated protein. This gene consists of three direct repeats of the ubiquitin coding sequence with no spacer sequence. Consequently, the protein is expressed as a polyubiquitin precursor with a final amino acid after the last repeat. An aberrant form of this protein has been detected in patients with Alzheimer's disease and Down syndrome. Pseudogenes of this gene are located on chromosomes 1, 2, 13, and 17. Alternative splicing results in multiple transcript variants.

Recommended Dilutions

Immunogen Information

WB	1:500 - 1:2000	G
ІНС-Р	1:50 - 1:200	73
IF/ICC	1:50 - 1:200	ln Re

Sene ID 314 Swiss Prot P0CG47

mmunogen

Recombinant protein of human Ubiquitin

Synonyms HEL-S-50; Ubiquitin

Contact


400-999-6126 <u>cn.market@abclonal.com.cn</u> <u>www.abclonal.com.cn</u>

Product Information

Source Rabbit **lsotype** IgG Purification Affinity purification

Storage

Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.



Western blot analysis of lysates from 293T cells, using Ubiquitin Rabbit mAb (A11227). Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution. Lysates/proteins: 25µg per lane. Blocking buffer: 3% nonfat dry milk in TBST.