# NADPH oxidase 4 (NOX4) Rabbit mAb

ABclonal

www.abclonal.com

Catalog No.: A11904 Recombinant 1 Publications

# **Basic Information**

#### **Observed MW**

67kDa

## **Calculated MW**

67kDa

#### Category

Primary antibody

## **Applications**

ELISA,WB,IHC-P,IF/ICC

#### **Cross-Reactivity**

Human, Mouse, Rat

# **Background**

This gene encodes a member of the NOX-family of enzymes that functions as the catalytic subunit the NADPH oxidase complex. The encoded protein is localized to non-phagocytic cells where it acts as an oxygen sensor and catalyzes the reduction of molecular oxygen to various reactive oxygen species (ROS). The ROS generated by this protein have been implicated in numerous biological functions including signal transduction, cell differentiation and tumor cell growth. A pseudogene has been identified on the other arm of chromosome 11. Alternative splicing results in multiple transcript variants.

## **Recommended Dilutions**

WB	1:500 - 1:2000
IHC-P	1:50 - 1:100
IF/ICC	1:50 - 1:100

# **Immunogen Information**

Gene ID	Swiss Prot
50507	O9NPH5

#### **Immunogen**

Recombinant protein of human NADPH oxidase 4 (NOX4)

## **Synonyms**

KOX; KOX-1; RENOX; NADPH oxidase 4 (NOX4)

## **Contact**

<b>a</b>		400-999-6126
$\bowtie$		cn.market@abclonal.com.cn
•	T	www.abclonal.com.cn


## **Product Information**

Source	Isotype	Purification
Rabbit	IgG	Affinity purification

#### **Storage**

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.



Western blot analysis of various lysates using NADPH oxidase 4 (NOX4) Rabbit mAb (A11904). Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution. Lysates/proteins:  $25\mu g$  per lane.

Blocking buffer: 3% nonfat dry milk in TBST.