# **IKZF2** Rabbit pAb

Catalog No.: A12265



# **Basic Information**

#### **Observed MW**

60kDa

## **Calculated MW**

60kDa

#### Category

Primary antibody

## **Applications**

ELISA,WB

#### **Cross-Reactivity**

Human, Mouse, Rat

# **Background**

This gene encodes a member of the Ikaros family of zinc-finger proteins. Three members of this protein family (Ikaros, Aiolos and Helios) are hematopoietic-specific transcription factors involved in the regulation of lymphocyte development. This protein forms homo- or hetero-dimers with other Ikaros family members, and is thought to function predominantly in early hematopoietic development. Multiple transcript variants encoding different isoforms have been found for this gene, but the biological validity of some variants has not been determined.

## **Recommended Dilutions**

**WB** 

1:500 - 1:2000

# **Immunogen Information**

**Gene ID** 22807

**Swiss Prot** 

Q9UKS7

## **Immunogen**

Recombinant fusion protein containing a sequence corresponding to amino acids 300-440 of human IKZF2 (NP\_001072994.1).

## **Synonyms**

ANF1A2; HELIOS; ZNF1A2; ZNFN1A2; IKZF2

## **Contact**

6	400-999-6126
$\bowtie$	cn.market@abclonal.com.cn
•	www.abclonal.com.cn


## **Product Information**

SourceIsotypePurificationRabbitIgGAffinity purification

## **Storage**

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.01% thimerosal,50% glycerol,pH7.3.



Western blot analysis of various lysates using IKZF2 Rabbit pAb (A12265) at 1:3000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.

Lysates/proteins: 25µg per lane.

Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time: 1s.