FFAR3 Rabbit pAb

Catalog No.: A12636 4 Publications



Basic Information

Observed MW

39kDa

Calculated MW

39kDa

Category

Primary antibody

Applications

WB,ELISA

Cross-Reactivity

Mouse, Rat

Background

Enables G protein-coupled receptor activity. Involved in adenylate cyclase-inhibiting G protein-coupled receptor signaling pathway and cellular response to fatty acid. Located in plasma membrane.

Recommended Dilutions

WB 1:500 - 1:1000

ELISA

Recommended starting concentration is 1 µg/mL.
Please optimize the concentration based on your specific assay requirements.

Immunogen Information

Gene ID2865

Swiss Prot
014843

Immunogen

Recombinant protein (or fragment). This information is considered to be commercially sensitive.

Synonyms

FFA3R; GPR41; GPR42; FFAR3

Contact

<u>a</u>		400-999-6126
\bowtie		cn.market@abclonal.com.cn
•	T	www.abclonal.com.cn


Product Information

SourceIsotypePurificationRabbitIgGAffinity purification

Storage

Store at -20 $^{\circ}\text{C}.$ Avoid freeze / thaw cycles.

Buffer: PBS with 0.01% thimerosal,50% glycerol,pH7.3.



Western blot analysis of lysates from Mouse skeletal muscle, using FFAR3 Rabbit pAb (A12636) at 1:1000 dilution

Secondary antibody: HRP-conjugated Goat anti-Rabbit $IgG\ (H+L)\ (AS014)$ at 1:10000 dilution.

Lysates/proteins: 25µg per lane.

Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time: 90s.