FAM208A Rabbit pAb

Catalog No.: A13187



Basic Information

Observed MW

189kDa

Calculated MW

189kDa

Category

Primary antibody

Applications

WB,ELISA

Cross-Reactivity

Human

Background

Enables chromatin binding activity. Involved in negative regulation of single stranded viral RNA replication via double stranded DNA intermediate; protein localization to heterochromatin; and regulation of gene expression. Located in heterochromatin and nucleoplasm.

Recommended Dilutions

WB 1:500 - 1:2000

ELISA

Recommended starting concentration is 1 µg/mL.
Please optimize the concentration based on your specific assay requirements.

Immunogen Information

Gene ID23272

Swiss Prot
Q9UK61

Immunogen

Recombinant protein (or fragment). This information is considered to be commercially sensitive.

Synonyms

RAP140; TASOR1; se89-1; C3orf63; FAM208A

Contact

<u>a</u>	400-999-6126
\bowtie	cn.market@abclonal.com.cn
\odot	www.abclonal.com.cn

Product Information


SourceIsotypePurificationRabbitIgGAffinity purification

Storage

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS containing 50% glycerol, preserved with proclin300 or sodium azide (as specified on the Certificate of Analysis), pH 7.3.

Validation Data



Western blot analysis of various lysates using FAM208A Rabbit pAb (A13187) at 1:3000 dilution. Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution. Lysates/proteins: 25µg per lane.

Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time: 30s.