# CD168/RHAMM Rabbit pAb

Catalog No.: A13315



### **Basic Information**

#### **Observed MW**

84-130kDa

### **Calculated MW**

88kDa/91kDa

#### Category

Primary antibody

### **Applications**

ELISA,WB

#### **Cross-Reactivity**

Human, Mouse, Rat

# **Background**

Predicted to enable hyaluronic acid binding activity. Predicted to be located in centrosome and cytosol. Is expressed in bulbar cushion and testis. Human ortholog(s) of this gene implicated in breast cancer. Orthologous to human HMMR (hyaluronan mediated motility receptor).

### **Recommended Dilutions**

**WB** 

1:500 - 1:2000

# **Immunogen Information**

**Gene ID** 15366

**Swiss Prot** 

#### **Immunogen**

Recombinant protein of mouse CD168/RHAMM

### **Synonyms**

CD168; Rhamm; AA386826; CD168/RHAMM

### **Contact**

<b>a</b>		400-999-6126
$\bowtie$		cn.market@abclonal.com.cn
$\odot$	T	www.abclonal.com.cn

### **Product Information**


SourceIsotypePurificationRabbitIgGAffinity purification

### **Storage**

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.

# **Validation Data**



Western blot analysis of extracts of various cell lines, using CD168/RHAMM antibody (A13315) at 1:1000 dilution

Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.

Lysates/proteins: 25µg per lane.

Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time: 20s.