Leader in Biomolecular Solutions for Life Science

## RAD54L2 Rabbit pAb

Catalog No.: A13585



## **Basic Information**

**Observed MW** 

Calculated MW 163kDa

Category Primary antibody

Applications IHC-P,IF/ICC,ELISA

**Cross-Reactivity** Human, Rat

## Background

Predicted to enable ATP hydrolysis activity; protein kinase binding activity; and transcription coregulator activity. Predicted to be involved in DNA duplex unwinding. Predicted to act upstream of or within positive regulation of transcription by RNA polymerase II. Predicted to be located in nuclear speck. Predicted to be active in nucleus.

## **Recommended Dilutions**

IHC-P	1:50 - 1:200
IF/ICC	1:50 - 1:200
ELISA	Recommended starting concentration is 1 µg/mL. Please optimize the concentration based on your specific assay requirements.

## **Immunogen Information**

# **Gene ID** 23132

Swiss Prot Q9Y4B4

#### Immunogen

Recombinant protein (or fragment). This information is considered to be commercially sensitive.

#### Synonyms

ARIP4; HSPC325; SRISNF2L; RAD54L2

## Contact

6	400-999-6126
$\times$	cn.market@abclonal.com.cn
€	www.abclonal.com.cn


## **Product Information**

**Source** Rabbit **Isotype** IgG Purification Affinity purification

#### Storage

Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.

## **Validation Data**



Immunohistochemistry analysis of paraffinembedded Rat liver tissue using RAD54L2 Rabbit pAb (A13585) at a dilution of 1:200 (40x lens). High pressure antigen retrieval performed with 0.01M Citrate buffer (pH 6.0) prior to IHC staining.

Immunofluorescence analysis of MCF-7 cells using RAD54L2 Rabbit pAb (A13585). Secondary antibody: Cy3-conjugated Goat anti-Rabbit IgG (H+L) (AS007) at 1:500 dilution. Blue: DAPI for nuclear staining.