Leader in Biomolecular Solutions for Life Science



Catalog No.: A13998 2 Publications



Basic Information

Observed MW 57kDa

Calculated MW 53kDa

Category Primary antibody

Applications ELISA,WB

Cross-Reactivity Mouse

Background

The protein encoded by this gene is a nuclear transcription factor which binds DNA as a homodimer. The encoded protein controls the expression of several genes, including hepatocyte nuclear factor 1 alpha, a transcription factor which regulates the expression of several hepatic genes. This gene may play a role in development of the liver, kidney, and intestines. Mutations in this gene have been associated with monogenic autosomal dominant non-insulin-dependent diabetes mellitus type I. Alternative splicing of this gene results in multiple transcript variants encoding several different isoforms.

Recommended Dilutions

1:500 - 1:2000

Immunogen Information

WB

Gene ID

3172

Swiss Prot P41235

Immunogen

A synthetic peptide corresponding to a sequence within a mino acids 155-254 of human HNF4A (NP_000448.3).

Synonyms

TCF; HNF4; MODY; FRTS4; MODY1; NR2A1; TCF14; HNF4a7; HNF4a8; HNF4a9; NR2A21; TCF-14; HNF4alpha; HNF4A

Contact


400-999-6126 <u>cn.market@abclonal.com.cn</u> <u>www.abclonal.com.cn</u>

Product Information

Source Rabbit **Isotype** IgG **Purification** Affinity purification

Storage

Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.



Western blot analysis of extracts of mouse liver, using HNF4A antibody (A13998) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution. Lysates/proteins: $25\mu g$ per lane.

Blocking buffer: 3% nonfat dry milk in TBST.