Leader in Biomolecular Solutions for Life Science

TERF2IP Rabbit pAb

Catalog No.: A15163 1 Publications



Basic Information

Observed MW 55kDa

Calculated MW 44kDa

Category Primary antibody

Applications ELISA,WB,IF/ICC

Cross-Reactivity Human

Recommended Dilutions

Background

Enables G-rich strand telomeric DNA binding activity and phosphatase binding activity. Involved in several processes, including positive regulation of NIK/NF-kappaB signaling; regulation of nucleobase-containing compound metabolic process; and regulation of protein modification process. Located in chromosome, telomeric region; cytosol; and nuclear body. Part of shelterin complex.

Immunogen Information

WB	1:500 - 1:2000	Gene ID	Swiss Prot	
IF/ICC	1:50 - 1:200	54386	Q9NYB0	

Immunogen

Recombinant fusion protein containing a sequence corresponding to amino acids 1-280 of human TERF2IP (NP_061848.2).

Synonyms

RAP1; DRIP5; TERF2IP


a 400-999-6126 **x** <u>cn.market@abclonal.com.cn</u> **www.abclonal.com.cn**

Product Information

Source Rabbit **Isotype** IgG Purification Affinity purification

Storage

Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.



Western blot analysis of extracts of various cell lines, using TERF2IP Rabbit pAb (A15163) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.

Lysates/proteins: 25µg per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit (RM00020). Exposure time: 90s.

Immunofluorescence analysis of U2OS cells using TERF2IP antibody (A15163) at dilution of 1:100. Blue: DAPI for nuclear staining.