NOC4L Rabbit pAb

Catalog No.: A15509



Basic Information

Observed MW

65kDa

Calculated MW

58kDa

Category

Primary antibody

Applications

WB,ELISA

Cross-Reactivity

Human

Background

Enables RNA binding activity. Predicted to be involved in rRNA processing. Located in nucleolus and nucleoplasm.

Recommended Dilutions

WB 1:200 - 1:2000

ELISA

Recommended starting concentration is 1 µg/mL.
Please optimize the concentration based on your specific assay

requirements.

Immunogen Information

Gene IDSwiss Prot
79050

Q9BVI4

Immunogen

Recombinant protein (or fragment). This information is considered to be commercially sensitive.

Synonyms

NOC4; NET49; UTP19; NOC4L

Contact

a		400-999-6126
\bowtie		cn.market@abclonal.com.cn
\odot	T	www.abclonal.com.cn


Product Information

SourceIsotypePurificationRabbitIgGAffinity purification

Storage

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.01% thimerosal,50% glycerol,pH7.3.



Western blot analysis of various lysates using NOC4L Rabbit pAb (A15509) at 1:1000 dilution. Secondary antibody: HRP-conjugated Goat anti-Rabbit lgG (H+L) (AS014) at 1:10000 dilution. Lysates/proteins: $25\mu g$ per lane.

Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time: 90s.