# **SAA4 Rabbit pAb**

Catalog No.: A16428



# **Basic Information**

#### **Observed MW**

14kDa

### **Calculated MW**

15kDa

#### Category

Primary antibody

### **Applications**

ELISA,WB

#### **Cross-Reactivity**

Human, Mouse, Rat

# **Background**

Predicted to be involved in acute-phase response. Located in extracellular exosome.

# **Recommended Dilutions**

**WB** 

1:500 - 1:2000

# **Immunogen Information**

Gene ID 6291 **Swiss Prot** 

P35542

#### **Immunogen**

A synthetic peptide corresponding to a sequence within amino acids 50 to the C-terminus of human SAA4 ( $NP_006503.2$ ).

### **Synonyms**

CSAA; C-SAA; SAA4

### **Contact**

| <u>a</u>          |   | 400-999-6126              |
|-------------------|---|---------------------------|
| $\bowtie$         |   | cn.market@abclonal.com.cn |
| $\overline{\Box}$ | ī | www abclonal com cn       |


## **Product Information**

SourceIsotypePurificationRabbitIgGAffinity purification

### **Storage**

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.01% thimerosal,50% glycerol,pH7.3.



Western blot analysis of various lysates using SAA4 Rabbit pAb (A16428) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit  $\lg G$  (H+L) (AS014) at 1:10000 dilution.

Lysates/proteins: 25µg per lane.

Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time: 90s.