# RhoB Rabbit pAb

Catalog No.: A16762



## **Basic Information**

#### **Observed MW**

22kDa

### **Calculated MW**

22kDa

### Category

Primary antibody

### **Applications**

ELISA,WB,IP

### **Cross-Reactivity**

Mouse

# **Background**

Predicted to enable GTP binding activity; GTPase activity; and protein kinase binding activity. Involved in several processes, including cellular response to hydrogen peroxide; cellular response to ionizing radiation; and regulation of cell migration. Located in cleavage furrow and endosome membrane. Biomarker of breast cancer.

# **Recommended Dilutions**

1:500 - 1:2000 **WB** 

0.5μg-4μg antibody for ΙP

200µg-400µg extracts of whole cells

# **Immunogen Information**

**Swiss Prot Gene ID** 388 P62745

### **Immunogen**

A synthetic peptide corresponding to a sequence within amino acids 100-196 of human RhoB (NP\_004031.1).

### **Synonyms**

ARH6; ARHB; RHOH6; MST081; MSTP081; RhoB

### **Contact**

<u>a</u>		400-999-6126
$\bowtie$		cn.market@abclonal.com.cn
•	T	www.abclonal.com.cn


### **Product Information**

**Purification Source** Isotype Affinity purification Rabbit IgG

### **Storage**

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.



Western blot analysis of lysates from Mouse brain, using RhoB pAb (A16762) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit  $\lg G$  (H+L) (AS014) at 1:10000 dilution.

Lysates/proteins: 25µg per lane.

Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time: 90s.