

C12orf10 Rabbit pAb

Catalog No.: A17198

Basic Information

Observed MW

Refer to figures

Calculated MW

42kDa

Category

Primary antibody

Applications

ELISA, IHC-P

Cross-Reactivity

Human, Mouse, Rat

Background

Predicted to enable nuclease activity. Predicted to be involved in nucleic acid phosphodiester bond hydrolysis. Predicted to act upstream of or within locomotory exploration behavior. Located in mitochondrion and nucleoplasm.

Recommended Dilutions

IHC-P 1:50 - 1:200

Immunogen Information

Gene ID

60314

Swiss Prot

Q9HB07

Immunogen

Recombinant fusion protein containing a sequence corresponding to amino acids 48-376 of human C12orf10 (NP_067653.3).

Synonyms

MYG; Gamm1; MST024; MSTP024; C12orf10

Contact

☎ | 400-999-6126

✉ | cn.market@abclonal.com.cn

🌐 | www.abclonal.com.cn

Product Information

Source

Rabbit

Isotype

IgG

Purification


Affinity purification

Storage


Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.01% thimerosal, 50% glycerol, pH7.3.


Validation Data



Immunohistochemistry analysis of C12orf10 in paraffin-embedded rat testis using C12orf10 Rabbit pAb (A17198) at dilution of 1:100 (40x lens). Perform microwave antigen retrieval with 10 mM PBS buffer pH 7.2 before commencing with IHC staining protocol.



Immunohistochemistry analysis of C12orf10 in paraffin-embedded human stomach using C12orf10 Rabbit pAb (A17198) at dilution of 1:100 (40x lens). Perform microwave antigen retrieval with 10 mM PBS buffer pH 7.2 before commencing with IHC staining protocol.



Immunohistochemistry analysis of C12orf10 in paraffin-embedded mouse testis using C12orf10 Rabbit pAb (A17198) at dilution of 1:100 (40x lens). Perform microwave antigen retrieval with 10 mM PBS buffer pH 7.2 before commencing with IHC staining protocol.