

RNF115 Rabbit pAb

Catalog No.: A17687

Basic Information

Observed MW

34kDa

Calculated MW

34kDa

Category

Primary antibody

Applications

WB,ELISA

Cross-Reactivity

Rat

Background

Enables ubiquitin-protein transferase activity. Involved in negative regulation of epidermal growth factor receptor signaling pathway; protein autoubiquitination; and ubiquitin-dependent protein catabolic process via the multivesicular body sorting pathway. Predicted to be located in cytosol.

Recommended Dilutions

WB 1:500 - 1:2000

ELISA Recommended starting concentration is 1 µg/mL. Please optimize the concentration based on your specific assay requirements.

Immunogen Information

Gene ID

27246

Swiss Prot

Q9Y4L5

Immunogen

Recombinant protein (or fragment). This information is considered to be commercially sensitive.

Synonyms

BCA2; ZFP364; ZNF364; RABRING7; RNF115

Contact

☎ | 400-999-6126

✉ | cn.market@abclonal.com.cn

🌐 | www.abclonal.com.cn

Product Information

Source

Rabbit

Isotype

IgG

Purification


Affinity purification

Storage

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.01% thimerosal, 50% glycerol, pH7.3.

Validation Data



Western blot analysis of lysates from Rat brain, using RNF115 Rabbit pAb (A17687) at 1:1000 dilution.
Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.
Lysates/proteins: 25µg per lane.
Blocking buffer: 3% nonfat dry milk in TBST.
Detection: ECL Basic Kit (RM00020).
Exposure time: 1s.