# **FOPNL** Rabbit pAb

Catalog No.: A17818



### **Basic Information**

#### **Observed MW**

20kDa

#### **Calculated MW**

20kDa

#### Category

Primary antibody

### **Applications**

ELISA,WB

#### **Cross-Reactivity**

Human, Mouse

### **Background**

Enables identical protein binding activity. Involved in cilium assembly. Located in centriolar satellite and nucleoplasm.

### **Recommended Dilutions**

**WB** 

1:500 - 1:2000

### **Immunogen Information**

**Gene ID** 123811

**Swiss Prot** 

Q96NB1

#### **Immunogen**

Recombinant fusion protein containing a sequence corresponding to amino acids 20-100 of human FOPNL (NP\_653201.1).

### **Synonyms**

FOPNL; FOR20; C16orf63; PHSECRG2

### **Contact**

<u>a</u>		400-999-6126
$\bowtie$		cn.market@abclonal.com.cn
$\overline{\triangle}$	ī	www.ahclonal.com.cn

### **Product Information**


SourceIsotypePurificationRabbitIgGAffinity purification

### **Storage**

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.01% thimerosal,50% glycerol,pH7.3.

## **Validation Data**



Western blot analysis of lysates from Mouse testis, using FOPNL Rabbit pAb (A17818) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit  $\lg G$  (H+L) (AS014) at 1:10000 dilution.

Lysates/proteins: 25µg per lane.

Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time: 90s.