# TTC7A Rabbit pAb

Catalog No.: A20595



## **Basic Information**

#### **Observed MW**

96kDa

#### **Calculated MW**

96kDa

#### Category

Primary antibody

### **Applications**

ELISA,WB

### **Cross-Reactivity**

Human, Rat

# **Background**

This gene encodes a protein containing tetratricopeptide repeats. Mutations in this gene disrupt intestinal development and can cause early onset inflammatory bowel disease and intestinal atresia. Alternative splicing results in multiple transcript variants.

# **Recommended Dilutions**

**WB** 

1:100 - 1:500

# **Immunogen Information**

Gene ID

**Swiss Prot** 

57217

Q9ULT0

#### **Immunogen**

Recombinant fusion protein containing a sequence corresponding to amino acids 1-300 of human TTC7A (NP\_001275880.1).

### **Synonyms**

TTC7; GIDID; MINAT; TTC7A

### **Contact**

6		400-999-6126
$\bowtie$		cn.market@abclonal.com.cn
•	T	www.abclonal.com.cn


### **Product Information**

SourceIsotypePurificationRabbitIgGAffinity purification

### **Storage**

Store at -20  $^{\circ}\text{C}.$  Avoid freeze / thaw cycles.

Buffer: PBS with 0.05% proclin300,50% glycerol,pH7.3.



Western blot analysis of extracts of various cell lines, using TTC7A antibody (A20595) at 1:500 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG(H+L) (AS014) at 1:10000 dilution.

Lysates/proteins: 25µg per lane.

Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time: 180s.