

2'-O-Methylguanosine(Gm) Rabbit mAb

Catalog No.: A20696 **Recombinant**

Basic Information

Observed MW

Refer to figures

Calculated MW

Category

Primary antibody

Applications

ELISA,DB

Cross-Reactivity

Species independent

CloneNo number

ARC50772

Background

RNA methylation plays a significant regulatory role in various of physiological activities and it has gradually become a hotspot of epigenetics in the past decade. 2'-O-methyladenosine (Am), 2'-O-methylguanosine (Gm), 2'-O-methylcytidine (Cm), 2'-O-methyluridine (Um), N 6-methyladenosine (m6A), N 1-methylguanosine (m1G), 5-methylcytidine (m5C), and 5-methyluridine (m5U) are representative 2'-O-methylation and base-methylation modified epigenetic marks of RNA. 2'-O-methyltransferase is a modified nucleoside that is produced in tRNAs by the action of tRNA guanosine-2'-O-methyltransferase, using S-adenosyl-L-methionine as a substrate. Through its interaction with other modified nucleosides, 2'-O-methylguanosine is thought to stabilize the structure of the tRNA.

Recommended Dilutions

DB 1:500 - 1:2000

Immunogen Information

Gene ID

CAS: 2140-71-8

Swiss Prot

Immunogen

Gm

Synonyms

2'-O-Methylguanosine; Gm; 2'-O-Methylguanosine(Gm)

Contact

 | 400-999-6126 | cn.market@abclonal.com.cn | www.abclonal.com.cn

Product Information

Source

Rabbit

Isotype

IgG

Purification


Affinity purification

Storage

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.05% proclin300, 0.05% BSA, 50% glycerol, pH7.3.

Validation Data



The 2'-O-methylguanosine(Gm) Rabbit mAb (A20696) are tested in Dot Blot against 2'-O-methylguanosine and unmodified guanosine. 2'-O-methylguanosine-Biotin-5'GCATAATGACTACT(Gm)3'unmodified guanosine-Biotin-5'GCATAATGACTACTG3'