

TOR4A Rabbit mAb

Catalog No.: A20952 **Recombinant**

Basic Information

Observed MW

47kDa

Calculated MW

47kDa

Category

Primary antibody

Applications

ELISA, WB

Cross-Reactivity

Human, Mouse

CloneNo number

ARC2939

Background

Predicted to enable ATP binding activity. Predicted to be located in extracellular region and platelet alpha granule lumen. Predicted to be active in endoplasmic reticulum lumen and nuclear envelope.

Recommended Dilutions

WB 1:500 - 1:1000

Immunogen Information

Gene ID

54863

Swiss Prot

Q9NXH8

Immunogen

Recombinant fusion protein containing a sequence corresponding to amino acids 1-130 of human TOR4A (Q9NXH8).

Synonyms

C9orf167; TOR4A

Contact

☎ | 400-999-6126

✉ | cn.market@abclonal.com.cn

🌐 | www.abclonal.com.cn

Product Information

Source

Rabbit

Isotype

IgG

Purification


Affinity purification

Storage

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.02% sodium azide, 0.05% BSA, 50% glycerol, pH7.3.

Validation Data



Western blot analysis of lysates from Mouse Thymus, using TOR4A Rabbit mAb (A20952) at 1 : 1000 dilution.


Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.

Lysates/proteins: 25ug per lane.

Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time: 90s.



Western blot analysis of various lysates, using TOR4A Rabbit mAb (A20952) at 1 : 1000 dilution.

Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.

Lysates/proteins: 25ug per lane.

Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time: 3s.