# **HPRT1** Rabbit pAb

Catalog No.: A21825



### **Basic Information**

#### **Observed MW**

25kDa

### **Calculated MW**

25kDa

### Category

Primary antibody

### **Applications**

ELISA,WB

#### **Cross-Reactivity**

Human, Mouse, Rat

## **Background**

The protein encoded by this gene is a transferase, which catalyzes conversion of hypoxanthine to inosine monophosphate and guanine to guanosine monophosphate via transfer of the 5-phosphoribosyl group from 5-phosphoribosyl 1-pyrophosphate. This enzyme plays a central role in the generation of purine nucleotides through the purine salvage pathway. Mutations in this gene result in Lesch-Nyhan syndrome or gout.

## **Recommended Dilutions**

**WB** 

1:100 - 1:500

## **Immunogen Information**

Gene ID

**Swiss Prot** 

3251

P00492

#### **Immunogen**

Recombinant fusion protein containing a sequence corresponding to amino acids 1-218 of human HPRT1 (NP\_000185.1).

## **Synonyms**

HPRT; HGPRT; HPRT1

### **Contact**

6	400-999-6126
$\bowtie$	cn.market@abclonal.com.cn
•	www.abclonal.com.cn


### **Product Information**

SourceIsotypePurificationRabbitIgGAffinity purification

### **Storage**

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.05% proclin300,50% glycerol,pH7.3.



Western blot analysis of various lysates using HPRT1 Rabbit pAb (A21825) at 1:500 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.

Lysates/proteins: 25µg per lane.

Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time: 60s.