# ABclonal www.abclonal.com

# ABflo® 488 Rabbit anti-Human CD141/Thrombomodulin mAb

Catalog No.: A22154

# **Basic Information**

#### **Observed MW**

**Calculated MW** 

60kDa

Category

Primary antibody

**Applications** 

FC

**Cross-Reactivity** 

Human

CloneNo number

ARC52599-ABf488

Conjugate

ABflo® 488. Ex:491nm. Em:516nm.

# **Background**

The protein encoded by this intronless gene is an endothelial-specific type I membrane receptor that binds thrombin. This binding results in the activation of protein C, which degrades clotting factors Va and VIIIa and reduces the amount of thrombin generated. Mutations in this gene are a cause of thromboembolic disease, also known as inherited thrombophilia.

## **Recommended Dilutions**

FC

5  $\mu$ l per 10^6 cells in 100  $\mu$ l volume

# **Immunogen Information**

Gene ID 7056 **Swiss Prot** 

P07204

#### **Immunogen**

Recombinant fusion protein containing a sequence corresponding to amino acids 19-515 of human CD141/Thrombomodulin (NP\_000352.1).

#### **Synonyms**

TM; THRM; AHUS6; BDCA3; CD141; BDCA-3; THPH12

### **Contact**

<b>a</b>		400-999-6126
$\bowtie$		cn.market@abclonal.com.cn
$\odot$	T	www.abclonal.com.cn


#### **Product Information**

SourceIsotypePurificationRabbitIgGAffinity purification

### Storage


Store at 2-8°C. Avoid freeze.


Buffer: PBS with 0.03% proclin300,0.2% BSA,pH7.3.



 $\mu$ l/Test,blue line). Non-fluorescently stained

cells were used as blank control (red line).





Flow cytometry:1X10^6 Human PBMC were surface-stained with ABflo® 488 Rabbit anti-Human CD141/Thrombomodulin mAb(A22154,5 µl/Test,orange line) or ABflo® 488 Rabbit 1gG isotype control (A22069,5 µl/Test,blue line).Non-fluorescently stained Human PBMC was used as blank control (red line)