Leader in Biomolecular Solutions for Life Science

CD36/SR-B3 Rabbit mAb

Catalog No.: A22924 Recombinant



Basic Information

Observed MW 88kDa

Calculated MW 53kDa

Category Primary antibody

Applications WB,ELISA

Cross-Reactivity Mouse, Rat

CloneNo number ARC3176

Background

The protein encoded by this gene is the fourth major glycoprotein of the platelet surface and serves as a receptor for thrombospondin in platelets and various cell lines. Since thrombospondins are widely distributed proteins involved in a variety of adhesive processes, this protein may have important functions as a cell adhesion molecule. It binds to collagen, thrombospondin, anionic phospholipids and oxidized LDL. It directly mediates cytoadherence of Plasmodium falciparum parasitized erythrocytes and it binds long chain fatty acids and may function in the transport and/or as a regulator of fatty acid transport. Mutations in this gene cause platelet glycoprotein deficiency. Multiple alternatively spliced transcript variants have been found for this gene.

Recommended Dilutions

ig L. ie on ay s.

Immunogen Information

Gene ID 948 Swiss Prot P16671

Immunogen

Synthetic peptide. This information is considered to be commercially sensitive.

Synonyms

FAT; GP4; GP3B; GPIV; CHDS7; PASIV; SCARB3; BDPLT10; CD36/SR-B3

Contact


6	400-999-6126
\times	cn.market@abclonal.com.cn
€	www.abclonal.com.cn

Product Information

Source Rabbit **lsotype** IgG **Purification** Affinity purification

Storage

Store at -20°C. Avoid freeze / thaw cycles. Buffer: 1xTBS (pH7.4), 1%BSA, 40%Glycerol. Preservative: 0.05% Sodium Azide.



Western blot analysis of lysates from Rat spleen, using CD36/SR-B3 Rabbit mAb (A22924) at 1:1000 dilution.

Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution. Lysates/proteins: 25µg per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit (RM00020).

Exposure time: 60s.