# **TFB2M Rabbit mAb**

Catalog No.: A22962 Recombinant



## **Basic Information**

#### **Observed MW**

38kDa

### **Calculated MW**

45kDa

### Category

Primary antibody

### **Applications**

WB,ELISA

### **Cross-Reactivity**

Human

#### CloneNo number

ARC3165

## **Background**

Enables mitochondrial transcription factor activity. Involved in transcription initiation from mitochondrial promoter. Located in mitochondrial nucleoid.

## **Recommended Dilutions**

**WB** 1:500 - 1:1000

**ELISA** 

Recommended starting concentration is 1 µg/mL. Please optimize the concentration based on your specific assay requirements.

## **Immunogen Information**

**Gene ID Swiss Prot** 64216 Q9H5Q4

#### **Immunogen**

Synthetic peptide. This information is considered to be commercially sensitive.

## **Synonyms**

Hkp1; mtTFB2; TFB2M

## **Contact**

<u>a</u>		400-999-6126
$\bowtie$		cn.market@abclonal.com.cn
•	T	www.abclonal.com.cn


### **Product Information**

**Purification Source** Isotype Rabbit IgG Affinity purification

### Storage

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: 10 mM sodium HEPES and 150 mM NaCl with proclin300 or sodium azide (as specified on the Certificate of Analysis),100 µg/ml BSA,50% Glycerol,pH 7.5



Western blot analysis of various lysates, using TFB2M Rabbit mAb (A22962) at 1:1000 dilution. Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution. Lysates/proteins: 25µg per lane.

Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time: 180s.