Leader in Biomolecular Solutions for Life Science

NKX3.1 Rabbit mAb

Catalog No.: A23480 Recombinant



Basic Information

Observed MW 35kDa

Calculated MW 26kDa

Category Primary antibody

Applications ELISA,WB,IHC-P

Cross-Reactivity Human, Mouse, Rat

CloneNo number ARC58355

Recommended Dilutions

Background

This gene encodes a homeobox-containing transcription factor. This transcription factor functions as a negative regulator of epithelial cell growth in prostate tissue. Aberrant expression of this gene is associated with prostate tumor progression. Alternate splicing results in multiple transcript variants of this gene.

Immunogen Information

WB	1:2000 - 1:20000	Gene ID	Swiss Prot	
ІНС-Р	1:100 - 1:500	4824	Q99801	

Immunogen

Recombinant fusion protein containing a sequence corresponding to amino acids 1-100 of human NKX3.1. (NP_006158.2).

Synonyms

NKX3; BAPX2; NKX3A; NKX3.1


a 400-999-6126 x cn.market@abclonal.com.cn y www.abclonal.com.cn

Product Information


Source Rabbit **lsotype** IgG **Purification** Affinity purification

Storage

Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.05% proclin300,0.05% BSA,50% glycerol,pH7.3.



Western blot analysis of various lysates, using NKX3.1 Rabbit mAb (A23480) at 1:10000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution. Lysates/proteins: 25µg per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Enhanced Kit (RM00021). Exposure time: 30s.



Immunohistochemistry analysis of paraffinembedded Human prostate cancer using NKX3.1 Rabbit mAb (A23480) at dilution of 1:400 (40x lens). High pressure antigen retrieval performed with 0.01M Citrate Bufferr (pH 6.0) prior to IHC staining.