# ABclonal www.abclonal.com

# ABflo® 594 Rabbit anti-Human CD86 mAb

Catalog No.: A24256

# **Basic Information**

#### **Observed MW**

Refer to figures

## **Calculated MW**

38kDa

## Category

Primary antibody

## **Applications**

FC

## **Cross-Reactivity**

Human, Cynomolgus

#### CloneNo number

ARC54012

## Conjugate

ABflo® 594. Ex:588nm. Em:604nm.

# Background

This gene encodes a type I membrane protein that is a member of the immunoglobulin superfamily. This protein is expressed by antigen-presenting cells, and it is the ligand for two proteins at the cell surface of T cells, CD28 antigen and cytotoxic T-lymphocyte-associated protein 4. Binding of this protein with CD28 antigen is a costimulatory signal for activation of the T-cell. Binding of this protein with cytotoxic T-lymphocyte-associated protein 4 negatively regulates T-cell activation and diminishes the immune response. Alternative splicing results in several transcript variants encoding different isoforms.

# **Recommended Dilutions**

FC

5 μl per 10^6 cells in 100 μl volume

# Immunogen Information

Gene ID 942 **Swiss Prot** 

P42081

## **Immunogen**

Recombinant protein (or fragment). This information is considered to be commercially sensitive.

# **Synonyms**

B70; B7-2; B7.2; LAB72; CD28LG2

# **Contact**

<b>a</b>	400-999-6126
$\bowtie$	cn.market@abclonal.com.cn
$\odot$	www.abclonal.com.cn

# **Product Information**


SourceIsotypePurificationRabbitIgGAffinity purification


### Storage

Store at 2-8°C. Avoid freeze.

Buffer: PBS containing 0.2% BSA, preserved with proclin300 or sodium azide (as specified on the Certificate of Analysis), pH 7.3.

# **Validation Data**





Flow cytometry: 1X10^6 K-562 cells (negative control,left) and Raji cells (right) were surface-stained with ABflo® 594 Rabbit anti-Human CD86 mAb(A24256,5 µl/Test,orange line) or ABflo® 594 Rabbit IgG isotype control (A23821,5 µl/Test,blue line).Non-fluorescently stained cells were used as blank control (red line).

Flow cytometry:1X10^6 Raji cells were surface-stained with ABflo® 594 Rabbit IgG isotype control (A23821,5 µl/Test,left) or ABflo® 594 Rabbit anti-Human CD86 mAb(A24256,5 µl/Test,right).