# CD134 Rabbit pAb

Catalog No.: A24523



# **Basic Information**

#### **Observed MW**

30kDa

### **Calculated MW**

30kDa

## Category

Primary antibody

## **Applications**

ELISA,WB

#### **Cross-Reactivity**

Rat

# **Background**

Enables tumor necrosis factor-activated receptor activity. Involved in negative regulation of apoptotic process; positive regulation of B cell proliferation; and regulation of gene expression. Acts upstream of or within several processes, including cellular defense response; negative regulation of cytokine production; and regulation of protein kinase activity. Located in external side of plasma membrane. Human ortholog(s) of this gene implicated in immunodeficiency 16. Orthologous to human TNFRSF4 (TNF receptor superfamily member 4).

## **Recommended Dilutions**

**WB** 

1:1000 - 1:5000

# **Immunogen Information**

**Gene ID** 22163

**Swiss Prot** 

P47741

### **Immunogen**

Recombinant fusion protein containing a sequence corresponding to amino acids 20-211 of mouse CD134 (NP\_035789.1).

## **Synonyms**

Ox40; ACT35; CD134; Ly-70; Txgp1; TXGP1L

## **Contact**

6	400-999-6126
$\bowtie$	cn.market@abclonal.com.cn
•	www.abclonal.com.cn


## **Product Information**

SourceIsotypePurificationRabbitIgGAffinity purification

### **Storage**

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.05% proclin300,50% glycerol,pH7.3.



Western blot analysis of Rat spleen, using CD134 Rabbit pAb (A24523) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution. Lysates/proteins: 25ug per lane.

Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time: 90s.