

mNeonGreen Rabbit pAb

Catalog No.: A24858

Basic Information

Observed MW

30kDa

Calculated MW

30kDa

Category

Primary antibody

Applications

ELISA,WB,IF/ICC

Cross-Reactivity

Species independent

Background

Mutations were performed on LanYFP, and mNeonGreen (GenBank login number KC295282) was identified. In addition to the additional EGFP type terminal 9, a total of 21 mutations were found relative to the tetramer LanYFP (F15I, R25Q, A45D, Q56H, F67Y, K79V, S100V, F115A, I118K, V140R, T141S, M143K, L144T, D156K, T158S, S163N, Q168R, V171A, N174T, I185Y, F192Y). It is a yellow green fluorescent protein derived from amphioxus. As a fusion protein, mNeonGreen is a very useful tool for reporting gene expression, tracking cell lines, and determining subcellular protein localization. On the protein sequence level, only 20-25% of the mNeonGreen sequences are consistent with ordinary GFP derivative sequences; MNeonGreen has a maximum excitation value at 506 nm and a maximum emission value at 517 nm (Shaner et al., 2013). MNeonGreen is compatible with most GFP filter sets. Obviously, when using a GFP filter, it is three times brighter than GFP; The optimization of filters can further increase their brightness. In addition, mNeonGreen appears to be more stable than EGFP and less sensitive to laser induced bleaching. Therefore, mNeonGreen is particularly suitable for confocal microscopy and super-resolution microscopy, especially when studying low-level expression of fusion proteins.

Recommended Dilutions

WB 1:1000 - 1:5000

IF/ICC 1:50 - 1:200

Immunogen Information

Gene ID

Swiss Prot

Immunogen

Recombinant fusion protein containing a sequence corresponding to amino acids 10-236 of Branchiostoma lanceolatum mNeonGreen.

Synonyms

Contact

☎ | 400-999-6126

✉ | cn.market@abclonal.com.cn

🌐 | www.abclonal.com.cn

Product Information

Source

Rabbit

Isotype

IgG

Purification


Affinity purification

Storage


Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.05% proclin300, 50% glycerol, pH7.3.

Validation Data



Western blot analysis of lysates from wild type (WT) and 293T cells transfected with mNeonGreen using mNeonGreen Rabbit pAb (A24858) at 1:2000 dilution.
Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.
Lysates/proteins: 25 µg per lane.
Blocking buffer: 3% nonfat dry milk in TBST.
Detection: ECL Basic Kit (RM00020).
Exposure time: 0.5s.



Immunofluorescence analysis of 293F-6Xhis-mNeonGreen-S-tag(C) and 293F cells using mNeonGreen Rabbit pAb(A24858) at a dilution of 1:100 (40x lens). Secondary antibody: Cy3 Goat Anti-Rabbit IgG (H+L)(AS007) at 1:500 dilution. Blue: DAPI for nuclear staining.