

ABflo® 488 Rabbit anti-Human TNFRSF10D/TRAILR4 mAb

Catalog No.: A24962

Basic Information

Observed MW

Calculated MW
42kDa

Category
Primary antibody

Applications
FC

Cross-Reactivity
Human

CloneNo number
ARC64404

Conjugate
ABflo® 488. Ex:491nm. Em:516nm.

Background

The protein encoded by this gene is a member of the TNF-receptor superfamily. This receptor contains an extracellular TRAIL-binding domain, a transmembrane domain, and a truncated cytoplasmic death domain. This receptor does not induce apoptosis, and has been shown to play an inhibitory role in TRAIL-induced cell apoptosis.

Recommended Dilutions

FC 5 µl per 10⁶ cells in
100 µl volume

Immunogen Information

Gene ID	Swiss Prot
8793	Q9UBN6

Immunogen

Recombinant protein (or fragment). This information is considered to be commercially sensitive.

Synonyms

DCR2; CD264; TRUND; TRAILR4; TRAIL-R4

Contact

☎	400-999-6126
✉	cn.market@abclonal.com.cn
🌐	www.abclonal.com.cn



Product Information

Source	Isotype	Purification
Rabbit	IgG	Affinity purification

Storage

Store at 2-8°C. Avoid freeze.
Buffer: PBS containing 0.2% BSA, preserved with proclin300 or sodium azide (as specified on the Certificate of Analysis), pH 7.3.

Validation Data



Flow cytometry: 1X10⁶ 293F cells (Low Expression,left) and 293F (Transfection,right) cells were surface-stained with ABflo® 488 Rabbit anti-Human TNFRSF10D/TRAILR4 mAb (A24962,5 µl/Test,orange line) or ABflo® 488 Rabbit IgG isotype control (A22069,5 µl/Test,blue line). Non-fluorescently stained cells were used as blank control (red line).

Flow cytometry: 1X10⁶ 293F (Transfection) cells were surface-stained with ABflo® 488 Rabbit IgG isotype control (A22069,5 µl/Test,left) or ABflo® 488 Rabbit anti-Human TNFRSF10D/TRAILR4 mAb (A24962,5 µl/Test,right).