ABflo® 594 Rabbit anti-Human CD124/IL-4Rα mAb

Catalog No.: A25408



Basic Information

Observed MW

Calculated MW 26kDa/88kDa/90kDa

Category Primary antibody

Applications FC

Cross-Reactivity Human

CloneNo number ARC66266-ABflo594

Conjugate

ABflo® 594. Ex:588nm. Em:604nm.

Recommended Dilutions

FC

5 μl per 10^6 cells in 100 μl volume

Background

This gene encodes the alpha chain of the interleukin-4 receptor, a type I transmembrane protein that can bind interleukin 4 and interleukin 13 to regulate IgE production. The encoded protein also can bind interleukin 4 to promote differentiation of Th2 cells. A soluble form of the encoded protein can be produced by proteolysis of the membrane-bound protein, and this soluble form can inhibit IL4-mediated cell proliferation and IL5 upregulation by T-cells. Allelic variations in this gene have been associated with atopy, a condition that can manifest itself as allergic rhinitis, sinusitus, asthma, or eczema. Polymorphisms in this gene are also associated with resistance to human immunodeficiency virus type-1 infection. Alternate splicing results in multiple transcript variants.

Immunogen Information

Gene ID 3566 Swiss Prot P24394

Immunogen

Recombinant fusion protein containing a sequence corresponding to amino acids 24-232 of human CD124/IL-4R α (NP_000409.1).

Synonyms

CD124; IL4RA; IL-4RA

Contact

6	400-999-6126
\bowtie	cn.market@abclonal.com.cn
€	www.abclonal.com.cn


Product Information


Source Rabbit **Isotype** IgG **Purification** Affinity purification

Storage

Store at 2-8°C. Avoid freeze. Buffer: PBS with 0.03% proclin300,0.2% BSA,pH7.3.

Validation Data





Flow cytometry: 1X10⁶ MOLT-4 cells (negative control,left) and Daudi cells (right) were surface-stained with ABflo® 594 Rabbit anti-Human CD124/IL-4Rα mAb (A25408,5 µl/Test,orange line) or ABflo® 594 Rabbit IgG isotype control (A23821,5 µl/Test,blue line). Non-fluorescently stained cells were used as blank control (red line). Flow cytometry: 1X10^6 Daudi cells were surface-stained with ABflo® 594 Rabbit IgG isotype control (A23821,5 μ /Test,left) or ABflo® 594 Rabbit anti-Human CD124/IL-4R α mAb (A25408,5 μ /Test,right).