

# ABflo® 647 Rabbit anti-Human CD370/CLEC9A mAb

Catalog No.: A25735

## **Basic Information**

#### **Observed MW**

Refer to figures

### **Calculated MW**

27kDa

### Category

Primary antibody

### **Applications**

FC

### **Cross-Reactivity**

Human

#### CloneNo number

ARC64044-ABflo647

## Conjugate

ABflo® 647. Ex:648nm. Em:664nm.

## **Background**

CLEC9A is a group V C-type lectin-like receptor (CTLR) that functions as an activation receptor and is expressed on myeloid lineage cells.

## **Recommended Dilutions**

FC

5 μl per 10^6 cells in 100 μl volume

## **Immunogen Information**

**Gene ID** 283420

**Swiss Prot** 

Q6UXN8

### **Immunogen**

Recombinant fusion protein containing a sequence corresponding to a mino acids 110-241 of human CD370/CLEC9A (NP\_997228.1).

## **Synonyms**

CD370; DNGR1; DNGR-1; UNQ9341

## **Contact**

<u>a</u>	400-999-6126
$\bowtie$	cn.market@abclonal.com.cn
<u></u>	www.abclonal.com.cn

## **Product Information**


SourceIsotypePurificationRabbitIgGAffinity purification

### **Storage**

Store at 2-8°C. Avoid freeze.

Buffer: PBS with 0.03% proclin300,0.2% BSA,pH7.3.

# **Validation Data**



Flow cytometry:1X10^6 Human PBMC were surface-stained with ABflo® 594 Rabbit anti-Human CD141/Thrombomodulin mAb (A24180,5 µl/Test) and ABflo® 647 Rabbit anti-Human CD370/CLEC9A mAb (A25735,5 µl/Test,left) or ABflo® 647 Rabbit IgG isotype control (A22070,5 µl/Test,right). Cells in the monocytes gate were used for analysis.