

# ABflo® 488 Rabbit anti-Mouse CD252 (OX40 Ligand) mAb

Catalog No.: A25745

# **Basic Information**

#### **Observed MW**

**Calculated MW** 

22kDa

Category

Primary antibody

**Applications** 

IF/ICC,FC

**Cross-Reactivity** 

Mouse

CloneNo number

ARC66508

Conjugate

ABflo® 488. Ex:491nm. Em:516nm.

# **Background**

Enables tumor necrosis factor receptor binding activity. Involved in several processes, including T cell activation; regulation of gene expression; and regulation of lymphocyte activation. Acts upstream of or within cholesterol metabolic process; inflammatory response; and negative regulation of cytokine production. Predicted to be located in cell surface. Predicted to be active in extracellular space. Is expressed in sensory organ and skeleton. Used to study primary pulmonary hypertension and type 1 diabetes mellitus. Human ortholog(s) of this gene implicated in myocardial infarction. Orthologous to human TNFSF4 (TNF superfamily member 4).

## **Recommended Dilutions**

**IF/ICC** 1:50 - 1:200

FC 5 μl per 10^6 cells in 100 μl volume

## Immunogen Information

**Gene ID**22164

Swiss Prot
P43488

#### **Immunogen**

Recombinant protein (or fragment). This information is considered to be commercially sensitive.

## **Synonyms**

Ath1; gp34; Ath-1; Ox40l; TXGP1; CD134L; OX-40L; Tnlg2b; Txgp1l

## **Contact**

<u>a</u>		400-999-6126
$\bowtie$		cn.market@abclonal.com.cn
$\odot$	T	www.abclonal.com.cn


## **Product Information**


SourceIsotypePurificationRabbitIgGAffinity purification


#### Storage

Store at 2-8°C. Avoid freeze.

Buffer: PBS containing 0.2% BSA, preserved with proclin300 or sodium azide (as specified on the Certificate of Analysis), pH 7.3.







Flow cytometry: 1X10^6 C57BL/6 Mouse Bone Marrow-Derived Dendritic Cells were surface-stained with ABflo® 488 Rabbit IgG isotype control (A22069,5 µl/Test,left) or ABflo® 488 Rabbit anti-Mouse CD252 (OX40 Ligand) mAb (A25745,5 µl/Test,right).