# **MUSK Rabbit pAb**

Catalog No.: A2591



## **Basic Information**

#### **Observed MW**

101kDa

### **Calculated MW**

97kDa

### Category

Primary antibody

### **Applications**

WB,ELISA

### **Cross-Reactivity**

Mouse

## **Background**

This gene encodes a muscle-specific tyrosine kinase receptor. The encoded protein may play a role in clustering of the acetylcholine receptor in the postsynaptic neuromuscular junction. Mutations in this gene have been associated with congenital myasthenic syndrome. Alternatively spliced transcript variants have been described.

## **Recommended Dilutions**

WB 1:100 - 1:500

**ELISA** 

Recommended starting concentration is 1 µg/mL.
Please optimize the concentration based on your specific assay requirements.

## **Immunogen Information**

**Gene ID**4593

Swiss Prot
015146

### **Immunogen**

Recombinant fusion protein containing a sequence corresponding to amino acids 424-783 of human MUSK (NP $\_$ 001159752.1).

## **Synonyms**

CMS9; FADS; FADS1; MUSK

### **Contact**

6		400-999-6126
$\bowtie$		cn.market@abclonal.com.cn
<u></u>	Π	www.abclonal.com.cn


### **Product Information**

SourceIsotypePurificationRabbitIgGAffinity purification

#### Storage

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.



Western blot analysis of lysates from Mouse skeletal muscle, using MUSK Rabbit pAb (A2591) at 1:500 dilution

Secondary antibody: HRP-conjugated Goat anti-Rabbit  $IgG\ (H+L)\ (AS014)$  at 1:10000 dilution.

Lysates/proteins: 25µg per lane.

Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time: 180s.