ABclonal www.abclonal.com

ABflo® 647 Rabbit anti-Mouse CD107b mAb

Catalog No.: A25931

Basic Information

Observed MW

Calculated MW

46kDa

Category

Primary antibody

Applications

FC

Cross-Reactivity

Mouse

CloneNo number

ARC63617

Conjugate

ABflo® 647. Ex:648nm. Em:664nm.

Background

Enables protein domain specific binding activity. Involved in several processes, including autophagosome maturation; protein stabilization; and protein targeting to lysosome involved in chaperone-mediated autophagy. Acts upstream of or within muscle cell cellular homeostasis. Located in late endosome membrane; lysosomal membrane; and phagocytic vesicle membrane. Is integral component of autophagosome membrane. Is expressed in central nervous system; egg cylinder; lung; and retina. Used to study Danon disease. Human ortholog(s) of this gene implicated in Danon disease and hypertrophic cardiomyopathy. Orthologous to human LAMP2 (lysosomal associated membrane protein 2).

Recommended Dilutions

FC

5 μ l per 10^6 cells in 100 μ l volume

Immunogen Information

Gene ID

Swiss Prot

16784

P17047

Immunogen

Recombinant protein (or fragment). This information is considered to be commercially sensitive.

Synonyms

Mac3; LGP-B; CD107b; Lamp-2; Lamp II; Lamp-2a; Lamp-2b; Lamp-2c

Contact

2		400-999-6126
\bowtie		cn.market@abclonal.com.cn
•	T	www.abclonal.com.cn

Product Information

SourceIsotypePurificationRabbitIgGAffinity purification

Storage

Store at 2-8°C. Avoid freeze.

Buffer: PBS containing 0.2% BSA, preserved with proclin300 or sodium azide (as specified on the Certificate of Analysis), pH 7.3.

Validation Data





Flow cytometry: 1X10^6 NIH/3T3-CD107b-shRNA4 cells (negative control,left) and NIH/3T3-scramble cells (right) were surface-stained with ABflo® 647 Rabbit anti-Mouse CD107b mAb (A25931,5 µl/Test,orange line) or ABflo® 647 Rabbit IgG isotype control (A22070,5 µl/Test,blue line). Nonfluorescently stained cells were used as blank control (red line).