APC Rabbit anti-Human CD14 mAb

www.abclonal.com

ABclonal

Catalog No.: A25937

Basic Information

Observed MW

Calculated MW

40kDa

Category

Primary antibody

Applications

FC

Cross-Reactivity

Human

CloneNo number

ARC65657-APC

Conjugate

APC. Ex:650nm. Em:660nm.

Background

The protein encoded by this gene is a surface antigen that is preferentially expressed on monocytes/macrophages. It cooperates with other proteins to mediate the innate immune response to bacterial lipopolysaccharide, and to viruses. This gene has been identified as a target candidate in the treatment of SARS-CoV-2-infected patients to potentially lessen or inhibit a severe inflammatory response. Alternative splicing results in multiple transcript variants encoding the same protein.

Recommended Dilutions

FC

5 μ l per 10^6 cells in 100 μ l volume

Immunogen Information

Gene ID 929 **Swiss Prot**

P08571

Immunogen

Recombinant fusion protein containing a sequence corresponding to amino acids 20-352 of human CD14 (NP_000582.1).

Synonyms

CD14

Contact

<u>a</u>		400-999-6126
\bowtie		cn.market@abclonal.com.cn
$\overline{\triangle}$	ī	www.ahclonal.com.cn

Product Information


SourceIsotypePurificationRabbitIgGAffinity purification


Storage

Store at 2-8°C. Avoid freeze.

Buffer: PBS with 0.09% Sodium azide, 0.2% BSA, pH7.3.

Validation Data





Flow cytometry: 1X10^6 HUVEC cells (negative control,left) and Human PBMC (right) were surface-stained with APC Rabbit anti-Human CD14 mAb (A25937,5 $\mu |/\text{Test,orange line})$ or APC Rabbit IgG isotype control (A24173,5 $\mu |/\text{Test,blue line}).$ Non-fluorescently stained cells were used as blank control (red line).

Flow cytometry: $1X10^6$ Human PBMC were surface-stained with APC Rabbit IgG isotype control (A24173,5 μ I/Test,left) or APC Rabbit anti-Human CD14 mAb (A25937,5 μ I/Test,right).