

ABflo® 700 Rabbit anti-Human/Monkey CD20 mAb

Catalog No.: A25966

Basic Information

Observed MW

Refer to figures

Calculated MW

14kDa/33kDa

Category

Primary antibody

Applications

FC

Cross-Reactivity

Human

CloneNo number

ARC51683-04-ABf700

Conjugate

ABflo® 700. Ex:690nm. Em:713nm.

Background

This gene encodes a member of the membrane-spanning 4A gene family. Members of this nascent protein family are characterized by common structural features and similar intron/exon splice boundaries and display unique expression patterns among hematopoietic cells and nonlymphoid tissues. This gene encodes a B-lymphocyte surface molecule which plays a role in the development and differentiation of B-cells into plasma cells. This family member is localized to 11q12, among a cluster of family members. Alternative splicing of this gene results in two transcript variants which encode the same protein.

Recommended Dilutions

FC

5 μl per 10^6 cells in 100 μl volume

Immunogen Information

Gene ID 931 **Swiss Prot**

P11836

Immunogen

A synthetic peptide corresponding to a sequence within amino acids 100-200 of human CD20 mAb (NP_068769.2).

Synonyms

B1; S7; Bp35; CD20; FMC7; CVID5; LEU-16

Contact

a	400-999-6126
\bowtie	cn.market@abclonal.com.cn
<u></u>	www.abclonal.com.cn

Product Information

SourceIsotypePurificationRabbitIgGAffinity purification

Storage

Store at 2-8°C. Avoid freeze.

Buffer: PBS with 0.03% proclin300,0.2% BSA,pH7.3.

Validation Data









Flow cytometry: 1X10^6 Jurkat cells (negative control,left) and Daudi cells (right) were surface-stained with ABflo® 700 Rabbit anti-Human/Monkey CD20 mAb (A25966,5 µl/Test,orange line) or ABflo® 700 Rabbit IgG isotype control (A25976,5 µl/Test,blue line). Non-fluorescently stained cells were used as blank control (red line).

Flow cytometry: 1X10^6 Daudi cells were surface-stained with ABflo® 700 Rabbit IgG isotype control (A25976,5 µl/Test,left) or ABflo® 700 Rabbit anti-Human/Monkey CD20 mAb (A25966,5 µl/Test,right).