ABflo® 594 Rabbit anti-Mouse VISTA PolymAb®

Catalog No.: A25975PM



Basic Information

Observed MW

Calculated MW 34kDa

Category Primary antibody

Applications FC

Cross-Reactivity Mouse

Conjugate ABflo® 594. Ex:588nm. Em:604nm.

Background

Predicted to enable endopeptidase activator activity; enzyme binding activity; and identical protein binding activity. Acts upstream of or within several processes, including negative regulation of CD4-positive, alpha-beta T cell proliferation; negative regulation of T cell cytokine production; and positive regulation of BMP signaling pathway. Located in external side of plasma membrane. Is expressed in several structures, including heart; immune system; lung; male reproductive gland or organ; and small intestine lamina propria. Orthologous to human VSIR (V-set immunoregulatory receptor).

Recommended Dilutions

FC

5 μl per 10^6 cells in 100 μl volume

Immunogen Information

Gene ID 74048 Swiss Prot Q9D659

Immunogen

Recombinant fusion protein containing a sequence corresponding to amino acids 33-191 of mouse VISTA (NP_083008.1).

Synonyms

Dies1; PD-1H; VISTA; 4632428N05Rik

Contact

6	400-999-6126
\bowtie	cn.market@abclonal.com.cn
€	www.abclonal.com.cn


Product Information


Source Rabbit **lsotype** IgG **Purification** Affinity purification

Storage

Store at 2-8°C. Avoid freeze. Buffer: PBS with 0.03% proclin300,0.2% BSA,pH7.3.

Validation Data





Flow cytometry: 1X10^6 NIH/3T3 cells (negative control,left) and C57BL/6 mouse splenocytes (right) were surface-stained with ABflo® 594 Rabbit anti-Mouse VISTA PolymAb® (A25975PM,5 µl/Test,orange line) or ABflo® 594 Rabbit IgG isotype control (A23821,5 µl/Test,blue line). Nonfluorescently stained cells were used as blank control (red line). Flow cytometry: 1X10^6 C57BL/6 mouse splenocytes were surface-stained with ABflo® 594 Rabbit IgG isotype control (A23821,5 µl/Test,left) or ABflo® 594 Rabbit anti-Mouse VISTA PolymAb® (A25975PM,5 µl/Test,right).