ABclonal www.abclonal.com

ABflo® 700 Rabbit anti-Mouse CD11b mAb

Catalog No.: A26230

Basic Information

Observed MW

Refer to figures

Calculated MW

127kDa

Category

Primary antibody

Applications

FC

Cross-Reactivity

Mouse

CloneNo number

ARC63899

Conjugate

ABflo® 700. Ex:690nm. Em:713nm.

Background

Enables complement component C3b binding activity; heparan sulfate proteoglycan binding activity; and heparin binding activity. Contributes to cargo receptor activity. Involved in several processes, including central nervous system development; endocytosis; and positive regulation of neuron death. Acts upstream of or within several processes, including activated T cell proliferation; leukocyte migration; and microglia development. Located in external side of plasma membrane and nucleus. Is integral component of membrane. Part of integrin alphaM-beta2 complex. Is expressed in several structures, including central nervous system; heart; lymphatic vessel; thymus; and yolk sac. Human ortholog(s) of this gene implicated in lupus nephritis. Orthologous to human ITGAM (integrin subunit alpha M).

Recommended Dilutions

FC

5 μl per 10^6 cells in 100 μl volume

Immunogen Information

Gene ID 16409

Swiss Prot

P05555

Immunogen

Recombinant protein (or fragment). This information is considered to be commercially sensitive.

Synonyms

CR3; CR3A; MAC1; Cd11b; Ly-40; Mac-1; Mac-1a; CD11b/CD18; F730045J24Rik

Contact

a		400-999-6126
\bowtie		cn.market@abclonal.com.cn
•	T	www.abclonal.com.cn

Product Information

SourceIsotypePurificationRabbitIgGAffinity purification

Storage

Store at 2-8°C. Avoid freeze.

Buffer: PBS with 0.09% Sodium azide, 0.2% BSA, pH7.3.

Validation Data









Flow cytometry: 1X10^6 C2C12 cells (negative control,left) and C57BL/6 mouse bone marrow cells (right) were surface-stained with ABflo® 700 Rabbit anti-Mouse CD11b mAb (A26230,5 µl/Test,orange line) or ABflo® 700 Rabbit IgG isotype control (A25976,5 µl/Test,blue line). Nonfluorescently stained cells were used as blank control (red line).

Flow cytometry: $1X10^6$ C57BL/6 mouse bone marrow cells were surface-stained with ABflo® 700 Rabbit IgG isotype control (A25976,5 μ I/Test,left) or ABflo® 700 Rabbit anti-Mouse CD11b mAb (A26230,5 μ I/Test,right).