ABflo® 450 Rabbit anti-Human CD55 mAb

ABclonal www.abclonal.com

Catalog No.: A26233

Basic Information

Observed MW

Refer to figures

Calculated MW

39kDa/41kDa/48kDa/56kDa/59kDa

Category

Primary antibody

Applications

FC

Cross-Reactivity

Human

CloneNo number

ARC54520-ABflo450

Conjugate

ABflo® 450. Ex:406nm. Em:445nm.

Background

This gene encodes a glycoprotein involved in the regulation of the complement cascade. Binding of the encoded protein to complement proteins accelerates their decay, thereby disrupting the cascade and preventing damage to host cells. Antigens present on this protein constitute the Cromer blood group system (CROM). Alternative splicing results in multiple transcript variants. The predominant transcript variant encodes a membrane-bound protein, but alternatively spliced transcripts may produce soluble proteins.

Recommended Dilutions

FC

5 μl per 10^6 cells in 100 μl volume

Immunogen Information

Gene ID 1604 **Swiss Prot**

P08174

Immunogen

Recombinant fusion protein containing a sequence corresponding to amino acids 35-353 of human CD55 (NP_000565.1).

Synonyms

CR; TC; DAF; CROM; CHAPLE

Contact

a	400-999-6126
×	cn.market@abclonal.com.cn
	www.abclonal.com.cn

Product Information


SourceIsotypePurificationRabbitIgGAffinity purification

Storage

Store at 2-8°C. Avoid freeze.

Buffer: PBS with 0.09% Sodium azide, 0.2% BSA, pH7.3.

Validation Data





Flow cytometry: 1X10^6 SH-SY5Y cells (negative control,left) and K-562 cells (right) were surface-stained with ABflo® 450 Rabbit anti-Human CD55 mAb (A26233,5 µl/Test,orange line) or ABflo® 450 Rabbit IgG isotype control (5 µl/Test,blue line). Nonfluorescently stained cells were used as blank control (red line).