

PE Rabbit anti-Human CD275/B7-H2/ICOSL mAb

Catalog No.: A26267

Basic Information

Observed MW

Calculated MW

20kDa/33kDa/34kDa

Category

Primary antibody

Applications

FC

Cross-Reactivity

Human

CloneNo number

ARC58551-PE

Conjugate

PE. Ex:565nm. Em:574nm.

Background

Enables identical protein binding activity. Predicted to be involved in T cell receptor signaling pathway and positive regulation of interleukin-4 production. Located in cytoplasmic ribonucleoprotein granule and plasma membrane.

Recommended Dilutions

FC 5 μ l per 10^6 cells in
100 μ l volume

Immunogen Information

Gene ID

23308

Swiss Prot

O75144

Immunogen

Recombinant fusion protein containing a sequence corresponding to amino acids 19-256 of human CD275/B7-H2/ICOSL (NP_056074.1).

Synonyms

B7h; B7H2; GL50; B7-H2; B7RP1; CD275; ICOSL; LICOS; B7RP-1; ICOS-L

Contact

☎ | 400-999-6126

✉ | cn.market@abclonal.com.cn

🌐 | www.abclonal.com.cn

Product Information

Source

Rabbit

Isotype

IgG

Purification


Affinity purification

Storage

Store at 2-8°C. Avoid freeze.

Buffer: PBS with 0.09% Sodium azide, 0.2% BSA, pH7.3.

Validation Data



Flow cytometry: 1×10^6 SH-SY5Y cells (negative control, left) and Daudi cells (right) were surface-stained with PE Rabbit anti-Human CD275/B7-H2/ICOSL mAb (A26267, 5 μ l/Test, orange line) or PE Rabbit IgG isotype control (A24172, 5 μ l/Test, blue line). Non-fluorescently stained cells were used as blank control (red line).

Flow cytometry: 1×10^6 Daudi cells were surface-stained with PE Rabbit IgG isotype control (A24172, 5 μ l/Test, left) or PE Rabbit anti-Human CD275/B7-H2/ICOSL mAb (A26267, 5 μ l/Test, right).