

ABflo® 647 Mouse IgG 2c isotype control

Catalog No.: A26280

Basic Information

Observed MW

Calculated MW

Category

Primary antibody

Applications

FC

Cross-Reactivity

CloneNo number

AMC50032_M1-ABf647

Conjugate

ABflo® 647. Ex:648nm. Em:664nm.

Background

Recommended Dilutions

FC 5 µl per 10^6 cells in
 100 µl volume

Immunogen Information

Gene ID

Swiss Prot

Immunogen

Synonyms

Contact

☎ | 400-999-6126

✉ | cn.market@abclonal.com.cn

🌐 | www.abclonal.com.cn

Product Information

Source

Mouse

Isotype

IgG

Purification


Affinity purification

Storage

Store at 2-8°C. Avoid freeze.

Buffer: PBS with 0.09% Sodium azide,pH7.3.

Validation Data



Flow cytometry: 1×10^6 293T cells (negative control, left) and 293T (Transfection, right) cells were surface-stained with Mouse anti-Human CXCR2/CD182 mAb (5 μ l/Test, orange line), followed by Alexa Fluor® 647 conjugated goat anti-rabbit pAb staining, or ABflo® 647 Mouse IgG 2c isotype control (A26280, 5 μ l/Test, blue line). Non-fluorescently stained cells were used as blank control (red line).