APC Rabbit anti-Human CD101/IGSF2 mAb

ABclonal www.abclonal.com

Catalog No.: A26608

Basic Information

Observed MW

Calculated MW

115kDa

Category

Primary antibody

Applications

FC

Cross-Reactivity

Human

CloneNo number

ARC62615-APC

Conjugate

APC. Ex:650nm. Em:660nm.

Background

Predicted to enable hydrolase activity, acting on carbon-nitrogen (but not peptide) bonds, in cyclic amides. Predicted to be involved in cell surface receptor signaling pathway. Predicted to act upstream of or within positive regulation of myeloid leukocyte differentiation. Located in extracellular exosome.

Recommended Dilutions

FC

5 μ l per 10^6 cells in 100 μ l volume

Immunogen Information

Gene ID 9398 Swiss Prot

Q93033

Immunogen

Recombinant fusion protein containing a sequence corresponding to amino acids 21-410 of human CD101/IGSF2 (NP_004249.2).

Synonyms

V7; IGSF2; EWI-101

Contact

2		400-999-6126
\bowtie	Τ	cn.market@abclonal.com.cn
•	Т	www.abclonal.com.cn

Product Information


SourceIsotypePurificationRabbitIgGAffinity purification

Storage

Store at 2-8°C. Avoid freeze.

Buffer: PBS with 0.09% Sodium azide, 0.2% BSA, pH7.3.


Validation Data











Flow cytometry: 1X10^6 293F cells (negative control,left) and 293F (Transfection,right) cells were surface-stained with APC Rabbit anti-Human CD101/IGSF2 mAb (A26608,5 µl/Test,orange line) or APC Rabbit IgG isotype control (A24173,5 µl/Test,blue line). Nonfluorescently stained cells were used as blank control (red line).

Flow cytometry: $1X10^6$ 293F (Transfection) cells were surface-stained with APC Rabbit IgG isotype control (A24173,5 μ I/Test,left) or APC Rabbit anti-Human CD101/IGSF2 mAb (A26608,5 μ I/Test,right).

Flow cytometry:1X10^6 Human PBMC were surface-stained with ABflo® 488 Mouse anti-Human CD3 mAb (A25188,5 µl/Test) and APC Rabbit IgG isotype control (A24173,5 µl/Test,left) or APC Rabbit anti-Human CD101/IGSF2 mAb (A26608,5 µl/Test,right).Cells in the lymphocytes gate were used for analysis.