

# PE anti-Mouse CD3e mAb

Catalog No.: A26897

## Basic Information

### Observed MW

### Calculated MW

21kDa

### Category

Primary antibody

### Applications

FC

### Cross-Reactivity

Mouse

### CloneNo number

ACC0011-PE

### Conjugate

PE. Ex:565nm. Em:574nm.

## Recommended Dilutions

FC 5  $\mu$ l per  $10^6$  cells in  
100  $\mu$ l volume

## Background

Predicted to enable several functions, including SH3 domain binding activity; identical protein binding activity; and protein heterodimerization activity. Involved in nervous system development and positive regulation of cell adhesion. Acts upstream of or within several processes, including positive regulation of T cell activation; positive regulation of cytokine production; and regulation of signal transduction. Located in several cellular components, including dendritic spine; external side of plasma membrane; and immunological synapse. Part of alpha-beta T cell receptor complex. Is expressed in colon and hemolymphoid system. Human ortholog(s) of this gene implicated in immunodeficiency 18. Orthologous to human CD3E (CD3e molecule).

## Immunogen Information

### Gene ID

12501

### Swiss Prot

P22646

### Immunogen

Recombinant protein of mouse CD3e.

### Synonyms

CD3; T3e; CD3epsilon

## Contact

☎ | 400-999-6126

✉ | [cn.market@abclonal.com.cn](mailto:cn.market@abclonal.com.cn)

🌐 | [www.abclonal.com.cn](http://www.abclonal.com.cn)

## Product Information

### Source

Armenian Hamster

### Isotype

IgG

### Purification

Affinity purification


### Storage

Store at 2-8°C. Avoid freeze.

Buffer: PBS with 0.09% Sodium azide, 0.2% BSA, pH7.3.

## Validation Data

---



Flow cytometry:  $1 \times 10^6$  C57BL/6 splenocytes were surface-stained with PE Armenian Hamster IgG isotype control (5  $\mu$ l/Test, left) or PE anti-Mouse CD3e mAb (A26897, 5  $\mu$ l/Test, right).